

CorkSport Aluminum Crank Pulley

2013+ CX-5, 2014+ Mazda 3 & Mazda 6



Thank you for purchasing the CorkSport Aluminum Crank Pulley. Add some shine to your engine bay and a bit more pep in your step with the CorkSport light weight crank pulley. We hope you enjoy your new part! Please let us know your feedback by submitting a review at: <http://corksport.com/2014-mazda-3-crankshaft-pulley.html>

Pre-Installation Notes:



Make sure your vehicle is on a level surface prior to starting installation.



These instructions were written for reference only and the use of a factory service manual is recommended. Please read these instructions thoroughly prior to starting installation.



How our instructions work: To best cover all of our customers experience levels, we have included a table of contents/order of operations along with step-by-step instructions.



These installation instructions were written using a 2013 CX5 FWD. Other year CX5, Mazda 3, and Mazda 6 models will be similar.

Materials and Time:



General Info.

Part #: AXM-6-310
Time Est: 30-45 min
Wrench Rating: 2/5



Tooling List

3/8" Ratchet
1/2" Ratchet
1/2" Breaker Bar
3/8" - 17mm Shallow Socket
1/2" - 21mm Deep Socket
1/2" Torque Wrench
Flathead Screwdriver
Jack and Jack Stands
Clean Shop Towel



Parts List

One (1) CorkSport Aluminum Crank Pulley

Need Help With Your Installation?

Call (360) 260-CORK

Order of Operations & Table of Contents



Support Car on Jackstands

Section 1: Jack Vehicle Up

Pg. 2



Disassembly and Removal

Section 2: Remove Engine Access Cover

Section 3: Remove the OEM Crank Pulley

Pg. 2

Pg. 3-4



Installation and Assembly

Section 4: Install the CorkSport Aluminum Crank Pulley

Section 4: Reinstall the Engine Access Cover

Pg. 4

Pg. 5

Detailed Instructions

1. Support Car on Floor Jack/Jackstands or Lift

- a) Verify that the vehicle is on a level and stable surface.
- b) Use a floor jack and jackstands to remove the passenger side front tire/wheel.



Always refer to the floor jack and jack stand manufactures instructions as well as the factory owners manual for your vehicle to determine jacking points and support points. Alternately, use an automotive lift to gain access to the underside of the vehicle.

2. Remove the Engine Access Cover

- a) Remove the cover to gain access to the pulley. Use a flathead screwdriver to pop out the plastic clips **circle in red** in **Figure 2a**. There is also a clip located at the **red dot**.




Figure 2a

Detailed Instructions

3. Remove the OEM Crank Pulley



Put the vehicle in Neutral (Manual or Automatic) so the crank can rotate freely.

- a) **Remove the serpentine belt.**
Use the 3/8" ratchet and 17mm socket to remove the belt tension. In **Figure 3a** the **blue dot** is the tensioner pulley and the **blue arrow** is the 17mm bolt. Place the wrench on the 17mm bolt and rotate the wrench in the direction of the **red arrow**.

- b) **Take the belt off while loose.**
You only need to remove the belt from the crank pulley.




Figure 3a




Figure 3c

- c) **Remove the water pump belt (aka the stretchy belt).** Shown in **Figure 3c**, use the clean shop towel to pull the belt in the direction of the blue arrow and outward while rotating the crank clockwise. This should walk the belt off the water pump pulley.

Detailed Instructions

3. Remove the OEM Crank Pulley (continued)



Put the vehicle in gear or park and have another person press the brake pedal. This should keep the engine from turning over. If possible, you can also use an air impact gun to loosen the crank pulley bolt.

- d) **Remove the crank pulley** with the 21mm socket and breaker bar, then pull the pulley off the crank.



Now is a good time to inspect the belts for any wear. Typical wear can include cracks, missing chunks, tears, or fraying. Also inspect the seal for any cracks, missing chunks, or tearing.

4. Install the CorkSport Aluminum Crank Pulley

- a) **Install the CorkSport pulley** with the 21mm socket and torque wrench. Torque to 67-80 ft-lbs.

- b) **Install the water pump belt (aka the stretchy belt)**. Shown in **Figure 4a**, place the belt in the inward set of grooves on the crank pulley. Then place the belt around the smooth section of the water pump pulley. Use the 21mm socket and ratchet to rotate the crank clockwise while pushing the edge of the belt towards the engine and into the grooves of the water pump pulley (**blue arrow**).




Figure 4a

- c) **Repeat step 3a to install the serpentine belt.**



Verify that the belts are correctly positioned in the grooves of all the pulleys. Belt misalignment can result in damage to the belts and engine.

A Simple Check: Feel the belt all around the pulley. You should not feel the belt sticking outward from the edge of the pulley, the belt should be flush.

Detailed Instructions

5. Reinstall the Engine Access Cover

- a) Install the cover with the pop clips. Refer to red circles in Figure 5a.




Figure 5a

What's Next:

[CORKSPORT 2013+ CX-5, Mazda 6, Mazda 3 SkyActiv Power Series Short Ram Intake](#)



One of the easiest and most beneficial performance enhancements you can do for your vehicle, the CorkSport Power Series Short Ram Intake replaces your factory airbox with an open intake system allowing more air into the intake chamber. Engineered with exacting tolerances, the CorkSport SkyActiv Short Ram Intake includes our precision machined MAF housing made from billet aluminum, a durable dry flow air filter and custom reinforced silicone connector. In initial testing with the 2.0 Liter SkyActiv engine, the CorkSport Short Ram Intake netted peak gains of +5 HP and +6 lb torque at the wheels.

[CORKSPORT 2013+ Mazda CX5, Mazda 3, Mazda 6 Exhausts](#)



Get added power and upgrade the look of your 2013+ Mazda CX5, Mazda 3 or Mazda 6 with the CorkSport Power Series Exhausts. As always, the CorkSport Mazda exhaust is constructed from T-304 stainless steel and is TIG welded with precision laser cut flanges and features full mandrel bending to eliminate any possible flow restrictions. The CorkSport Exhausts can be found at our online catalog here:

[CorkSport 2013 CX5 Power Series Exhaust](#)

[CorkSport 2014+ Mazda 6 or Mazda 3 Power series Exhaust](#)