# CorkSport Performance GEN-6-474-1X Air Filter Sock

Installation Instructions for the CorkSport Performance Air Filter Sock - All Filter Sizes

Written By: Barett Strecker



This document was generated on 2023-11-06 05:21:47 PM (MST).

#### **INTRODUCTION**

In this installation guide we have provided step by step instructions to setup, install and clean the CorkSport Performance Air Filter Sock

#### **Advisory:**

• The engine bay will be hot after recent vehicle operation. Allow the vehicle to cool or use a fan to cool the engine bay before working on the vehicle.

#### **TOOLS:**

- 1/4" Ratchet (1)
- 10mm Socket-Deep (1)
- 3mm Allen key (1)
- Small Needle Nose Pliers (1)
- Phillips Screwdriver (1)

# PARTS:

- CorkSport AXO MAF Housing (1)
- CorkSport AXO Intake Silicone (1)
- CorkSport 3" Filter (1)
- CS T-Bolt Clamp 77-85mm (1)
- CS T-Bolt Clamp 83-91mm (2)



This document was generated on 2023-11-06 05:21:47 PM (MST).

## Step 1 — Getting Started



- First and foremost; THANK YOU for becoming a part of the CorkSport Family. We hope to bring you the highest level of Parts, Customer Service, & Support
- instruction format will relate colored marking in the image to the color dot in the text to the right of the image



This document was generated on 2023-11-06 05:21:47 PM (MST).

## Step 2 — Advisory for Your Safety







- While very attractive, we do not recommend using the CS Air Filter Sock as a stylish accessory for your person.
- (i) Examples of what **NOT** to use the Air Filter Sock for...
  - Hair Net/Shower Cap
  - Face Mask
  - Beard Net
  - Undergarments'
  - Birth Control...its porous
  - And lastly...Socks for your Feet

## Step 3 — Install Air Filter Sock





- Much like a sock for your foot, but please put it on your air filter and not your foot.
- Pull the stretchy opening of the air filter sock over the air filter end cap, media, and base cap
- Verify the stretchy opening of the air filter sock is 100% over the edge of the base cap

#### Step 4 — Cleaning & Maintenance



- (i) Cleaning: remove from air filet and clean with clean water, then air dry.
- For best results, recommend to replace every ~10k miles.

This document was generated on 2023-11-06 05:21:47 PM (MST).

© 2023 Page 5 of 6

# Step 5 — Installation Complete



- This completes your installation of the CorkSport Performance Air Filter Sock!
- Contact us with any questions or concerns at sales@corksport.com or (360) 260-2675.
- Please leave a review here:
   <a href="https://corksport.com/2019-mazda-3-and-c...">https://corksport.com/2019-mazda-3-and-c...</a>
- Share your experience using #CorkSport on Instagram,
   Facebook, and Twitter.

